




TECHNICAL
INFORMATION

PIPING SYSTEM


PVC CONDUIT

Order No.	d	A	Lenght(m)	COLOUR OPTION
B9016	16	1.4	2.9	●
B9020	20	1.75	2.9	●
B9025	25	1.75	2.9	●
B9032	32	1.85	2.9	●




CORRUGATED CONDUIT

Order No.	d	Lenght(m)	COLOUR OPTION
B9016CM	16	-	●
B9020CM	20	50	●
B9025CM	25	50	●
B9032CM	32	25	●




SCREWED COUPLING

Order No.	d	d2	L	COLOUR OPTION
B258/16	20	16	30	●
B258/20	26	20	35	●
B258/25	31	25	40	●
B258/32	39	32	45	●




MALE BUSHES

Order No.	d	d2	W	COLOUR OPTION
B281/16	19	12	14.5	●
B281/20	24	15	15	●
B281/25	30	20	17	●
B281/32	37	26	17	●




JOINING COUPLING

Order No.	d	d2	Lenght	COLOUR OPTION
B242/16	20	16	38	●
B242/20	24	20	42	●
B242/25	30	25	53	●
B242/32	37	32	66	●




GLANDS

Order No.	d	d2	W	COLOUR OPTION
B279C20	20	20	40	●




INSPECTION TEES

Order No.	W	H	d	d2	COLOUR OPTION
B246/20	109	66	24	20	●




CONDUIT CLIP

Order No.	S	W	H	D	COLOUR OPTION
B280/16	8	24	24	12	●
B280/20	8	28	27	12	●
B280/25	8.5	33	33	12	●
B280/32	10.5	40	39	12	●



SADDLE & SPACER

Order No	W	H	D	COLOUR OPTION
B9020CM	19	63	22	●
B9025CM	19	64	27	●
B9032CM	23	80	35	●
B261S (Spacer)	20	65	3	●



INSPECTION ELBOW

Order No.	d	A	?	COLOUR OPTION
B244/16	-	-	-	●
B244/20	24	2	55	●
B244/25	30	2.3	77	●
B244/32	36	2	73	●



ROUND JUNCT ON BOXES

Order No	CONDUIT ACCOMMODATE	d	H	MD	COLOUR OPTION
B240/20/1	20	65	3	5.1	●
B240/20/2	20	65	3	5.1	●
B240/20/2A	20	65	3	5.1	●
B240/20/3	20	65	3	5.1	●
B240/20/4	20	65	3	5.1	●
B240/25/1	25	65	3	5.1	●
B240/25/2	25	65	3	5.1	●
B240/25/2A	25	65	3	5.1	●
B240/25/3	25	65	3	5.1	●
B240/25/4	25	65	3	5.1	●

90° BENDS

Order No.	d	A	?	COLOUR OPTION
B244/16	20	1.8	67	●
B244/20	24	2	84	●
B244/25	30	2.4	110	●
B244/32	36	1.7	100	●

